

75% FOOD GRADE PHOSPHORIC ACID

DESCRIPTION	75% FOOD GRADE PHOSPHORIC ACID is designed for soak, spray and CIP applications. For removal of minerals soils on stainless steel equipment. This pure phosphoric acid is excellent for pH adjustments.
DIRECTIONS	For removal of minerals soils on stainless steel equipment. Procedure: Soak, spray and CIP circulation of stainless steel equipment. After cleaning, post-rinse with potable water. Sanitize as required. Concentration: 0.5 to 1 oz. per 5 gallons of water for acid rinse. 1 to 2 oz. per 5 gallons of water for acid wash. Temperature: 100° to 165°F for circulation cleaning. Cleaning Time: 5 to 10 minutes for most applications depending on soil load and equipment.
SAFETY INFORMATION	UTILIZE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT AS PER SDS. HANDLE AND STORE AS INDICATED ON PRODUCT LABEL.

IF ON SKIN: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get immediate medical attention. Wash clothes before reusing.

IF IN EYES: In case of contact, immediately flush with plenty of water for at least 15 minutes. Get immediate medical attention.

IF SWALLOWED: Drink large quantities of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get immediate medical attention.

IF INHALED: Immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Get immediate medical attention.

Consult your Safety Data Sheet for additional safety information.

DANGER!

EMPTIED CONTAINER RETAINS VAPOR AND PRODUCT RESIDUE.

DO NOT CUT OR WELD ON OR NEAR THIS DRUM.

DO NOT REMOVE THE LABEL UNLESS CONTAINER IS THOROUGHLY CLEANED.