

ACIDET®

Acid Anionic Sanitizer for No-Rinse Applications

DESCRIPTION ACIDET® sanitizer is a concentrated sanitizer combining the strength of anionic surface active agents and phosphoric acid. ACIDET provides effective germicidal action on a broad range of microorganisms including gram positive and gram negative bacteria. ACIDET usage rate of 1 oz. to 5 gallons of water provides a low pH, ensuring rapid bactericidal action while removing water scale and stone buildup that leaves stainless steel surfaces shining. ACIDET leaves equipment surfaces in an acid pH range that lengthens the life of stainless steel parts.

DIRECTIONS ACIDET sanitizer is designed for use in food and dairy plants by spray, CIP, soak and brush application (bulk tanks, vats, silos, CIP lines, plant equipment and utensils).

Procedure: Sanitize pre-cleaned equipment with ACIDET solution – after 1 to 2 minutes of contact time, drain solution thoroughly.

Concentration: 1 oz. per 5 gallons of water.

Temperature: 70° to 110°F.

Cleaning Time: 2 minutes.

SAFETY INFORMATION **UTILIZE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT AS PER MSDS. HANDLE AND STORE AS INDICATED ON PRODUCT LABEL.**

IF ON SKIN: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. **Get medical attention.** Wash clothes before reusing.

IF IN EYES: In case of contact, immediately flush with plenty of water for at least 15 minutes. **Get immediate medical attention.**

IF SWALLOWED: Promptly consume a large quantity of milk, egg whites, gelatin solution or – if these are not available – drink large quantities of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. **Get immediate medical attention.** Note to Medical Staff: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

IF INHALED: Immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. **Get immediate medical attention.**

Consult your Material Safety Data Sheet for additional safety information.