

# AlkaPlus™ K Blend

# SAFETY DATA SHEET

Preparation Date: 20-Feb-2020

Revision Date: 08-Sep-2021

Revision Number: 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product Identifier

Product Name AlkaPlus™ K Blend

### Other means of identification

Item#: 1901

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended use Cleaning agent

Uses advised against All other

### Details of the supplier of the safety data sheet

Supplier DeLaval Cleaning Solutions  
11100 N. Congress Ave.  
Kansas City, MO 64153 : 816-891-7700, 8am – 5pm M-F

### Emergency Telephone Number

Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

#### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Toxicity - Oral	Category 4
Skin Corrosion/Irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### Label Elements

#### Emergency Overview

**DANGER**

#### Hazard Statements

Harmful if swallowed  
Causes severe skin burns and eye damage  
May be corrosive to metals



<b>Appearance</b> Clear light to Dark amber	<b>Physical state</b> Liquid	<b>Odor</b> No information available
---	------------------------------	--------------------------------------

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Do not breathe dust/fume/gas/mist/vapors/spray  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Keep only in original container

**Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do not induce vomiting.

Absorb spillage to prevent material damage.

**Precautionary Statements - Storage**

Store locked up  
 Store in corrosive resistant container with a resistant inner liner

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Sodium Hydroxide	1310-73-2	10 - 20
Potassium hydroxide	1310-58-3	10 - 20

If a concentration range is shown, the exact concentration has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**Description of first-aid measures**

<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention immediately.
<b>Skin contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately.
<b>Inhalation</b>	Move to fresh air. Get medical attention immediately if symptoms occur.
<b>Ingestion</b>	Do not induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**Most important symptoms and effects, both acute and delayed**

Corrosive. The product causes burns of eyes, skin and mucous membranes.

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

The product is not flammable. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable Extinguishing Media

None known.

### Specific hazards arising from the chemical

Corrosive to metals. The product causes burns of eyes, skin and mucous membranes.

**Sensitivity to static discharge** None.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA**                      **Health hazards** 3              **Flammability** 0              **Instability** 0

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. For personal protection see section 8.

### Environmental Precautions

Prevent further leakage or spillage if safe to do so.

### Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

### Precautions for Safe Handling

**Handling**                                      Avoid contact with skin, eyes and clothing.

### Conditions for safe storage, including any incompatibilities

**Storage**                                      Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up. Store in corrosive resistant container with a resistant inner liner.

**Incompatible Materials**                      Acids, organic materials, light metals (e.g. aluminum, copper, brass, zinc galvanized)

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	-

### Appropriate engineering controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

**Individual protection measures, such as personal protective equipment**

**Eye/face Protection** Tightly fitting safety goggles.

**Skin and body protection** Apron or other light protective clothing, boots and plastic or rubber gloves.

**Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	No information available
<b>Appearance</b>	Clear light to Dark amber	<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
<b>pH</b>	12.80 (1% dilution)	
<b>Melting point/freezing point</b>	No information available	
<b>Boiling Point/Range</b>	No information available	
<b>Flash Point</b>	No information available	
<b>Evaporation rate</b>	No information available	
<b>Flammability (solid, gas)</b>	No information available	
<b>Flammability Limit in Air</b>		
<b>Upper flammability limit</b>	No information available	
<b>Lower flammability limit</b>	No information available	
<b>Vapor Pressure</b>	No information available	
<b>Vapor Density</b>	No information available	
<b>Specific Gravity</b>	1.45	
<b>Water Solubility</b>	soluble	
<b>Partition coefficient: n-octanol/water</b>	No information available	
<b>Autoignition Temperature</b>	No information available	
<b>Decomposition temperature</b>	No information available	
<b>Viscosity of Product</b>	No information available	
<b>Dynamic viscosity</b>	No information available	

**Other information**

**Liquid Density** 12.1 lb/gal

## 10. STABILITY AND REACTIVITY

**Reactivity**

May react with other chemicals. Do not mix with other chemicals except as directed on label.

**Chemical Stability**

Stable under normal conditions.

**Possibility of hazardous reactions**

May spatter and release heat if mixed with acids. May react with and cause damage to soft metals such as aluminum, copper, brass or zinc (galvanized) to produce flammable, potentially explosive, hydrogen gas.

**Conditions to Avoid**

Product may degrade if exposed to long-term high temperature.

#### **Incompatible Materials**

Acids, organic materials, light metals (e.g. aluminum, copper, brass, zinc galvanized)

#### **Hazardous decomposition products**

None known.

## 11. TOXICOLOGICAL INFORMATION

**Principal Routes of Exposure** Eye contact, Skin contact, Ingestion

#### **Information on likely routes of exposure**

**Eyes** Corrosive to the eyes and may cause severe damage including blindness.  
**Skin** Extremely corrosive and destructive to tissue.  
**Ingestion** Ingestion causes burns of the upper digestive and respiratory tracts.

#### **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** Product is not identified as a sensitizer according to OSHA regulations.  
**Mutagenic effects** Product is not identified as a mutagen according to OSHA regulations.  
**Carcinogenicity** Product is not identified as a carcinogen according to OSHA regulations.

**Reproductive Effects** Product is not identified as having reproductive effects according to OSHA regulations.  
**STOT - single exposure** Product is not identified as having single target organ toxicity (single exposure) according to OSHA regulations.

**STOT - repeated exposure** Product is not identified as having single target organ toxicity (repeated exposure) according to OSHA regulations.

**Aspiration Hazard** Product is not identified as an aspiration hazard according to OSHA regulations.

#### **Numerical measures of toxicity**

If available, toxicity values of individual components are shown below.

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium Hydroxide 1310-73-2	140 - 340 mg/kg ( Rat )	= 1350 mg/kg ( Rabbit )	No data available
Potassium hydroxide 1310-58-3	= 284 mg/kg ( Rat )	No data available	No data available

45.9675% of the mixture consists of ingredient(s) of unknown toxicity

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

If available, ecotoxicity values of individual components are shown below.

Chemical name	Algae/aquatic plants	Fish	Microtox	Waterflea
Sodium Hydroxide 1310-73-2	No data available	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	No data available	No data available
Potassium hydroxide 1310-58-3	No data available	80: 96 h Gambusia affinis mg/L LC50 static	No data available	No data available

#### **Persistence and degradability**

No information available.

#### **Bioaccumulation/Accumulation**

No information available.

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods****Waste Disposal Method**

Dispose of in accordance with local regulations. Should not be released into the environment.

**Contaminated Packaging**

Triple rinse containers. Avoid contamination of any water supply with product or empty packaging. Empty containers should be taken for local recycling, recovery or waste disposal.

**14. TRANSPORT INFORMATION****DOT**

<b>UN-No</b>	3266
<b>Proper Shipping Name</b>	Corrosive liquid, basic, inorganic, n.o.s ( Sodium hydroxide, Potassium hydroxide )
<b>Hazard Class</b>	8
<b>Packing Group</b>	II

**15. REGULATORY INFORMATION**

## State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium Hydroxide 1310-73-2	X	X	X
Potassium hydroxide 1310-58-3	X	X	X

**U.S. EPA Label information**

EPA Pesticide registration number Not applicable

**16. OTHER INFORMATION**

Preparation Date: 20-Feb-2020

Revision Date: 08-Sep-2021

Revision Note: None

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of SDS