

RPMTM Acid Sanitizer Preparation Date: 17-May-2016 Revision

Revision Date: 02-Dec-2022

Revision Number: 7

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

<u>Product Identifier</u> Product Name	RPM™ Acid Sanitizer
<u>Other means of identification</u> Item#: Synonyms	1882 None
Recommended use of the chemical Recommended use Uses advised against	and restrictions on use Food contact no rinse sanitizer, Restricted to professional users All other
<u>Details of the supplier of the safety</u> Supplier	<u>data sheet</u> DeLaval Cleaning Solutions 11100 N. Congress Ave. Kansas City, MO 64153 : 816-891-7700, 8am – 5pm M-F

Emergency Telephone Number

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3

Sulfuric acid and other mineral acids mist statement

The International Agency for Research on Cancer (IARC) has classified "strong inorganic acid mists containing sulfuric or other strong mineral acids (such as Hydrochloric and Nitric acid) as a known human carcinogen, (IARC category 1). This classification applies only to mists containing such mineral acids and not to the specific acids or their solutions, unless otherwise noted.


Corrosive to metals	Category 1

Label Elements

Emergency Overview

DANGER

Hazard Statements Causes severe skin burns and eye damage May cause cancer May cause respiratory irritation. May cause drowsiness or dizziness May be corrosive to metals



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Use only outdoors or in a well-ventilated area Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHÅLED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed Store in corrosive resistant container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Propionic acid	79-09-4	10.0
Capric acid / Decanoic acid	334-48-5	3.0
Pelargonic acid / Nonanoic acid	112-05-0	3.0
Phosphoric acid	7664-38-2	8.5
Sulfuric acid	7664-93-9	9.5

If a concentration range is shown, the exact concentration has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first-aid measures

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician immediately.

Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Call a physician immediately.
Inhalation	Move to fresh air. Get medical attention immediately if symptoms occur.
Ingestion	Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Center immediately. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Corrosive. The product causes burns of eyes, skin and mucous membranes.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes.

Sensitivity to static discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Handling

Health hazards 3

Flammability 0 Instability 1

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment.

Environmental Precautions

Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in corrosive resistant container with a resistant inner liner.
Incompatible Materials	bases, organic materials, light metals (e.g. aluminum, copper, brass, zinc galvanized)

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propionic acid	TWA: 10 ppm	TWA: 10 ppm	-
79-09-4		TWA: 30 mg/m ³	
Phosphoric acid	TWA: 1 mg/m ³	TWA: 1 mg/m ³	1000 mg/m ³
7664-38-2	STEL: 3 mg/m ³	STEL: 3 mg/m ³	_
Sulfuric acid	TWA: 0.2 mg/m ³	TWA: 1 mg/m ³	15 mg/m ³
7664-93-9	_	-	_

Appropriate engineering controls

Engineering ControlsEnsure adequate ventilation, especially in confined areas.Individual protection measures, such as personal protective equipmentEye/face ProtectionSafety glasses with side-shields.Skin and body protectionWear protective gloves and protective clothing.Respiratory ProtectionIn case of inadequate ventilation wear respiratory protection.General Hygiene ConsiderationsHandle in accordance with good industrial hygiene and safety practice. Remove and wash
contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance	Liquid Clear, Colorless to Light yellow	Odor Odor Threshold	Pungent No information available
Property pH Melting point/freezing point Boiling Point/Range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit Lower flammability limit Vapor Pressure Vapor Density	<u>Values</u> 2 No information available No information available No information available No information available No information available No information available No information available	<u>Remarks/ Method</u>	
Specific Gravity Water Solubility	1.16 soluble		
Partition coefficient: n-octanol/water Autoignition Temperature Decomposition temperature Kinematic viscosity Dynamic viscosity	No information available No information available No information available No information available No information available		
Other information			
Liquid Density	9.6 lb/gal		

10. STABILITY AND REACTIVITY

Reactivity

May react with other chemicals. Do not mix with other chemicals except as directed on label.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions Gives off hydrogen by reaction with some metals (e.g. aluminum).

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

bases, organic materials, light metals (e.g. aluminum, copper, brass, zinc galvanized)

Hazardous decomposition products

None known.

11. TOXICOLOGICAL INFORMATION

Principal Routes of Exposure

Eye contact, Skin contact, Ingestion

Information on likely routes of exposure

Eyes	Corrosive to the eyes and may cause severe damage including blindness.
Skin	Extremely corrosive and destructive to tissue.
Ingestion	Ingestion causes burns of the upper digestive and respiratory tracts.

Delayed and immediate effects as well as chronic effects from short and long-term exposure_

Sensitization	Product is not identified as a sensitizer according to OSHA regulations.
Mutagenic effects	Product is not identified as a mutagen according to OSHA regulations.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Sulfuric acid	A2	Group 1	Known	Х
7664-93-9				

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Sulfuric acid and other mineral The International Agency for Research on Cancer (IARC) has classified "strong inorganic acids mist statement acid mists containing sulfuric or other strong mineral acids (such as Hydrochloric and Nitric acid) as a known human carcinogen, (IARC category 1). This classification applies only to mists containing such mineral acids and not to the specific acids or their solutions, unless otherwise noted. Product is not identified as having reproductive effects according to OSHA regulations. **Reproductive Effects** STOT - single exposure Product is not identified as having single target organ toxicity (single exposure) according to OSHA regulations. STOT - repeated exposure Product is not identified as having single target organ toxicity (repeated exposure) according to OSHA regulations. **Aspiration Hazard** Product is not identified as an aspiration hazard according to OSHA regulations.

Numerical measures of toxicity

If available, toxicity values of individual components are shown below.

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Propionic acid	= 351 mg/kg (Rat)	= 496 mg/kg (Rabbit)	= 4650 ppm (Rat)8 h

79-09-4			
Capric acid / Decanoic acid 334-48-5	> 10000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	No data available
Pelargonic acid / Nonanoic acid 112-05-0	= 5000 mg/kg (Rat)> 2 g/kg (Rat)	= 2000 mg/kg (Rat)	0.46 - 3.8 mg/L (Rat)4 h
Phosphoric acid 7664-38-2	> 300 mg/kg (Rat)	2740 mg/kg (Rabbit)	850 mg/m³ (Rat) 1 h
Sulfuric acid 7664-93-9	2140 mg/kg (Rat)	No data available	375 mg/m³ (air)

10.8% of the mixture consists of ingredient(s) of unknown toxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity

If available, ecotoxicity values of individual components are shown below.

Chemical name	Algae/aquatic plants	Fish	Microtox	Waterflea
Propionic acid 79-09-4	43: 96 h Desmodesmus subspicatus mg/L EC50 45.8: 72 h Desmodesmus subspicatus mg/L EC50	1: 96 h Pimephales promelas mg/L LC50 static 73 - 99.7: 96 h Lepomis macrochirus mg/L LC50 static 51: 96 h Oncorhynchus mykiss mg/L LC50 static	EC50 = 59.6 mg/L 17 h	No data available
Capric acid / Decanoic acid 334-48-5	No data available	54: 96 h Oryzias latipes mg/L LC50 semi-static	EC50 = 11.2 mg/L 5 min EC50 = 9.0 mg/L 25 min EC50 = 9.31 mg/L 15 min	65: 24 h Daphnia magna mg/L EC50
Pelargonic acid / Nonanoic acid 112-05-0	No data available	68 - 121: 96 h Oncorhynchus mykiss mg/L LC50 static 105: 96 h Lepomis macrochirus mg/L LC50 static 93.4 - 115: 96 h Pimephales promelas mg/L LC50 flow-through	No data available	No data available
Phosphoric acid 7664-38-2	No data available	3 - 3.5: 96 h Gambusia affinis mg/L LC50	No data available	4.6: 12 h Daphnia magna mg/L EC50
Sulfuric acid 7664-93-9	No data available	LC50 42 mg/l 96 h	No data available	EC50 42.5 mg/L 48 h

Persistence and degradability

No information available.

Bioaccumulation/Accumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Waste Disposal Method	Dispose of in accordance with local regulations. Should not be released into the environment.
Contaminated Packaging	Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION

DOT

UN-No	3264
Proper Shipping Name	Corrosive liquid, acidic, inorganic, n.o.s (Sulfuric acid, Propionic acid Solution)
Hazard Class	8
Packing Group	II

15. REGULATORY INFORMATION

Superfund Amendments and Reauthorization Act of 1986 (SARA) - Section 313 Components The following components are subject to reporting levels established by SARA Title III, Section 313:

Sulfuric acid (CAS# 7664-93-9)

State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propionic acid 79-09-4	Х	X	Х
Phosphoric acid 7664-38-2	Х	X	Х
Sulfuric acid 7664-93-9	Х	X	Х

U.S. EPA Label information

EPA Pesticide registration number 4959-41-82882

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide label

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage or skin burns. Harmful

if swallowed, absorbed or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing vapor or spray mist. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS: Mix only with water following label directions. Do not mix with chlorinated cleaners or sanitizers. Toxic chlorine gas will be formed. Contact with soft metals may generate hydrogen gas.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Applicators and handlers must wear coveralls over long-sleeved shirt and long pants, socks, and chemical-resistant footwear, goggles or face shield, and chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, PV, or viton).

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

16. OTHER INFORMATION

Preparation Date:
Revision Date:
Revision Note:
D' III

17-May-2016 02-Dec-2022 None

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of SDS